

## References

- (1). Anthony V, D'Amico, Whittington, R, Malkowicz, B, Schultz, D, Blank, K, Gregory A, Broderick, John E, Tomaszewski, Andrew, A, Renshaw, Kaplan, I, Clair J. Beard, Wein, A 2002, Biochemical outcome after radical prostatectomy or external beam radiation therapy for patients with clinically localized prostate carcinoma in the prostate specific antigen era, JAMA, Vol. 95, no. 2, pp.281-286.
- (2). Ash, D, 2005, Advances in radiotherapy for prostate cancer, British Journal of Radiology, Vol. 78, pp. 112-116.
- (3). Bahna, D.K, Leeb, F, Badalamenti, R, Kumarc, A, Greskic, J, Chernickd, M, August 2002, Targeted cryoablation of the prostate: 7-year outcomes in the primary treatment of prostate cancer, Vol. 60, no. 2, pp. 03-11
- (4). Brundagea, M, Lukkab, H, Crookc, J, Wardec, P, Baumand, G, Cattonc, C, Barbara, R, Markmane, Charettee, M 2002, The use of conformal radiotherapy and the selection of radiation dose in T1 or T2 low or intermediate risk prostate cancer – a systematic review, Radiotherapy and Oncology, Vol. 64, pp. 239–250.
- (5). Bucci, M.K, Bevan, A, Roach, M 2005, Advances in Radiation Therapy: Conventional to 3D, to IMRT, to 4D, and Beyond, CA Cancer J Clin, Vol. 55, pp. 117-134
- (6). Cheryl, L, Shrader-Bogen, R.N, Janice, L. Kjellberg, R.N, Carol, P, McPherson, M.S.W, Charles, L. Murray 15 May 1997, Quality of life and treatment outcomes Prostate carcinoma patients' perspectives after prostatectomy or radiation therapy, Cancer, Vol. 79, no. 10, pp. 1977–1986
- (7). Cox, J.D 1995, Toxicity criteria of the Radiation Therapy Oncology Group (RTOG) and the European Organization for Research and Treatment of Cancer (EORTC). International Journal Radiation Oncology Biology.Physics, Vol. 30, no 5, pp. 1341-1346
- (8). Donnellya, J.B, Salikenb, J.C, Ernste, D.S, Ali-Ridha, N, Brasherd, P.M.A, Robinsone, W.J, Rewcastleb, J.C, October 2002, Prospective trial of cryosurgical ablation of the prostate: five-year results, Vol. 60, no. 4, pp. 645-649
- (9). Eng, T.Y, Luh, J.Y, Thomas, C.R 2005, The efficacy of conventional external beam, three dimensional conformal, intensity-modulated, particle beam radiation, and brachytherapy for localized prostate cancer. Curr Urol Rep, Vol. 6, no. 3, pp.194-209
- (10). Franca Carlos, A.S, Vieira Sergio, L, Bernabe Antonio, J.S and Penna Antonio B.R 2007, The seven-year preliminary results of brachytherapy with Iodine-125 seeds for localized prostate cancer treated at a Brazilian single-center, International Brazil Journal of Urology, Vol. 33, no. 6, pp.752-763.
- (11). George, P January 1 2003, Management of Sexual Dysfunction After Prostate Brachytherapy, Oncology, Vol. 17, no. 1, pp. 01-02
- (12). Ghadjar, P, Vock, J, Vetterli, D, Manser, P, Bigler, R, Tille, J, Madlung, A, Behrensmeier, F, Mini, R and Aebersold, D.M 2008, Acute and late toxicity in prostate cancer patients treated by dose escalated intensity modulated radiation therapy and organ tracking, Radiation Oncology, Vol. 3, no. 35, pp. 1748-1717

- (13). Greenlee, R.T, Hill-Harmon, M.B, Murray, T and Thun, M 2001, Cancer Statistics, CA Cancer Journal for Clinicians, Vol. 51, no. 1, pp.15.
- (14). Hennequin, C, Quero, L, Soudi, H, Sergent, G and Maylin, C 2006, Conformal radiotherapy of prostate cancer, Annales d'Urologie (Paris), Vol. 40, no. 4, pp.233-240.
- (15). Heysek, R.V 2007, Modern Brachytherapy for Treatment of Prostate Cancer, Cancer Control, Vol. 14, no. 3, pp.238-248.
- (16). Ignatowicz–Pancyna, A , Kornafel, J 2007, Advances in Radiation Therapy, Adv Clin Exp Med. Vol. 16, no. 5, pp. 695–700
- (17). Jarad, M, Martin, Bayley, A, Bristow, R, Chung, P, Gospodarowicz, M, Cynthia, Menard, Michael Milosevic, Rosewall, T, Warde, P.R and Catton, C.N 2009, Image guided dose escalated prostate radiotherapy: still room to improve Radiation Oncology, Vol. 4, pp. 50, <http://www.ro-journal.com/content/4/1/50>
- (18). Javier F. Torres-Roca, July 2006, The Role of External-Beam Radiation Therapy in the Treatment of Clinically Localized Prostate Cancer, Cancer Control, Vol. 13, no. 3, pp. 188-189
- (19). Katz, A. J, Santoro, M, Ashley, R, Diblasio, F, and Witten, M 2010, Stereotactic body radiotherapy for organ-confined prostate cancer, BMC Urology, Vol. 10, no. 1, pp: 1471-2490
- (20). King, C.R, Lehmann, J, Adler, J.R, Hai, J, February 2003, CyberKnife Radiotherapy For Localized Prostate Cancer: Rationale And Technical Feasibility, Technology in Cancer Research and Treatment, Vol. 2, no. 1, pp. 25-29
- (21). [Kupelian](#), A, [Potters](#), L, [Khuntia](#), D, [Ciezki](#), J.P, [Reddy](#), C.A, [Reuther](#), A.M , [Carlson](#), T.P, [Klein](#), E.A 2004, Radical prostatectomy, external beam radiotherapy <72 Gy, external beam radiotherapy ≥72 Gy, permanent seed implantation, or combined seeds/external beam radiotherapy for stage T1–T2 prostate cancer, International Journal of Radiation Oncology Biology. Physics, Vol. 58, no. 1, pp. 25-33
- (22). Lawton, C.A, Won, M, Pilepich, M.V, Asbell, S.O, Shipley, W.U, Hanks, G.E, Cox, J.D, Perez, C.A, Sause, W.T, Doggett, S.R 1991, Long-term treatment sequelae following external beam irradiation for adenocarcinoma of the prostate: analysis of RTOG studies 7506 and 7706, International Journal of Radiation Oncology Biology. Physics, Vol. 21, pp. 935-939
- (23). [Litwin](#), M.S, [Gore](#), J.L, [Kwan](#), L, [Brandeis](#), J.M, [Lee](#), S.P, [Withers](#), H.R, [Reiter](#), R.E Jun 1 2007, Quality of life after surgery, external beam irradiation, or brachytherapy for early-stage prostate cancer, Vol. 109, no. 11, pp. 2239-2247
- (24). [Longa](#), J.P, [Bahnb](#), D, [Leec](#), F, [Shinoharad](#), K, [Chinne](#), D.O, [Macaluso](#), J.N March 2001, Five-year retrospective, multi-institutional pooled analysis of cancer-related outcomes after cryosurgical ablation of the prostate, [Vol. 57, no 3](#), pp. 518-523
- (25). [Mangar](#), S.A, [Huddart](#), R.A, [Parker](#), C.C, [Dearnaley](#), D.P, [Khoo](#), V.S and [Horwich](#), A 2003, Review technological advances in external-beam radiation therapy for the treatment of localized prostate cancer, Seminars in Oncology, Vol. 30, no. 5, pp.596-615.

- (26). [Martinez, A.A](#), [Yan, D](#), [Lockman, D](#), [Brabbins, D](#), [Kota, K](#) and [Sharpe, M](#), [Jaffray, D.A](#), [Vicini, F](#), [Wong, J](#) 2001, Improvement in dose escalation using the process of adaptive radiotherapy combined with three-dimensional conformal or intensity-modulated beams for prostate cancer, *International Journal of Radiation Oncology Biology. Physics*, Vol. 50, no. 5, pp.1226-1234
- (27). Martin, G, Sanda, Rodney, L, Dunn, Jeff Michalski, Howard, M, Sandler, Laurel Northouse, Larry Hembroff, Xihong Lin, Thomas, K, Greenfield, Mark, S, Litwin, Christopher, S, Saiga, Arul Mahadevan [March 20 2008](#) ,Vol. 358 no. 12, pp. 1250-1261
- (28). Martin, M, J , Andrew Bayley, Robert Bristow, Peter Chung, Mary Gospodarowicz, Cynthia Menard, Michael Milosevic, Tara Rosewall, Padraig R Warde, Charles,N, C 2009, Image guided dose escalated prostate radiotherapy: still room to improve, *Radiation Oncology*, Vol. 4, pp. 50
- (29). Matthew, B, Gretzer, and Alan ,W ,Partin, 2003,Advances in Prostate Cancer Treatment, *Rev Urol.Spring*, Vol. 5, no 2, pp. 111–117
- (30). [Merglen, A](#), [Schmidlin, F](#), [Fioretta, G](#),[Verkooijen, H.M](#) ,[Rapiti, E](#), [Zanetti, R](#), [Miralbell, R](#), [Bouchardy,C](#) 2007, **Short- and Long-term Mortality With Localized Prostate Cancer**, *Arch Intern Med*, Vol. 167, no. 18, pp.1944-1950
- (31). [Nilsson, S](#), [Norlén, B.J](#) and [Widmark, A](#) 2004, A systematic overview of radiation therapy effects in prostate cancer, *Acta Oncologica (Sweden)*, Vol. 43, no. 4, pp.316-381.
- (32). [Oren, C](#), [Zelevsky Michael, J](#), [Alison, S](#), [Heather, C](#), [Zvi, F](#), [Yoshiya, Y](#), [Margie, H](#), [Steven, G](#) [Howard, A](#) 2008, Ultra-High Dose (86.4 GY) IMRT for Localized Prostate Cancer, Toxicity and Biochemical Outcomes, Vol. 71, no. 2, pp. 330-337
- (33). Patanjali, N and Williams, S, March 2010 Advances in radiation therapy for prostate Cancer, *Cancer Forum*, Vol. 34, no. 1, pp.
- (34). Patrick, A, Kupelian, Elshaikh, M, Chandana, A, Reddy, Zippe, C, Eric, A, Klein 2002, Comparison of the Efficacy of Local Therapies for Localized Prostate Cancer in the Prostate-Specific Antigen Era: A Large Single-Institution Experience With Radical Prostatectomy and External-Beam Radiotherapy, *Journal of Clinical Oncology*, Vol. 20, no. 16, pp. 3376-3385
- (35). [Patrick, K.A](#), [Chandana, R.A](#), [Thomas, C.P](#), [Kimberley, A.A](#), [Twyla, W.R](#) 2002,Preliminary observations on biochemical relapse-free survival rates after short-course intensity-modulated radiotherapy (70 Gy at 2.5 Gy/fraction) for localized prostate cancer, Vol. 53, no. 4, pp. 904-912
- (36). Peter, D, Grimm, John, E, Sylvester 2009, Low and Intermediate Risk Prostate Cancer – Comparative Effectiveness of Brachytherapy, Cryotherapy, External Beam Radio Therapy, HIFU, Proton Therapy, Radical Prostatectomy and Robot Assisted Radical Prostatectomy
- (37). [Perez, C.A](#), [Michalski, J.M](#), [Purdy, J.A](#), [Wasserman, T.H](#), [Williams, K](#), [Lockett, M.A](#) 1 June 2000,Three-dimensional conformal therapy or standard irradiation in localized carcinoma of prostate: preliminary results of a nonrandomized comparison, Vol. 47, No 3, pp. 629-637

- (38). Pisansky, T.M 2006, External-Beam Radiotherapy for Localized Prostate Cancer, The New England Journal of Medicine, Vol. 355, no. 15, pp.1583-1591.
- (39). Prostate cancer treatment,National cancer institute,U.S. National institute of health, <http://www.cancer.gov/cancertopics/pdq/treatment/prostate/HealthProfessional/page4>
- (40). Ranjan, P, Saurabh, G, Bansal, R, Gupta, A 2008, High intensity focused ultrasound vs. cryotherapy as primary treatment for prostate cancer, Indian J Urol, Vol. 24, no. 16, pp. 16-21
- (41). [Schulte](#), R.W, [Slater](#), J.D, [Rossi, C.J](#), and [Slater](#), J.M 2000,Value and Perspectives of Proton Radiation Therapy for Limited Stage Prostate Cancer, [Strahlentherapie und Onkologie](#), [Vol. 176, no 1](#), pp. 3-8
- (42). [Slater](#), J.D, [Rossi](#), C.J, [Yonemoto](#), L.T, [Bush](#), D.A, [Jabola](#), B.R, [Levy](#), R.P, [Grove](#), R.I, [Preston](#) W, [Slater](#), J.M, June 2004,Proton therapy for prostate cancer: the initial Loma Linda University experience, [Vol. 59, no 2](#), pp. 348-352
- (43). [Slatera](#), J.D, [Rossi Jra](#), C.J, [Yonemotoa](#), L.T, [Reyes-Molyneuxa](#), N.J, [Busha](#), D.A, [Antoinea](#), J.E, [Millera](#), D.W ,[Teichmana](#), S.L, [Slatera](#), J.M May 1999,Conformal proton therapy for early-stage prostate cancer, [Vol. 53, no 5](#), pp. 978-983
- (44). Solnik, Claude 2005, LI hospital study shows good results for prostate cancer treatment, Long Island Business News, (<http://www.allbusiness.com/north-america/united-states-new-york/1046260-1.html>).
- (45). Stone, N.N, Stock, R.G, April 2002, Complications Following Permanent Prostate Brachytherapy, European Urology, Vol. 41, no. 4, pp. 427-433
- (46). Theodorescu, D and Krupski, T.L 2008, Prostate Cancer: Management of Localized Disease, The prostate cancer information source, (<http://www.medscape.com>).
- (47). Toyoaki, U,Ohkusa, H, Yamashita, H, Shoji, S, Yoshihiro, N, Toruhyodo, Satoh, T March 2006, Five years experience of transrectal high-intensity focused ultrasound using the Sonablate device in the treatment of localized prostate cancer, International Journal of Urology, [Vol. 13, no. 3](#), pp.228–233
- (48). Valicenti, R Jiandong Lu, Pilepich, M, Asbell, S, Grignon, D July 2000, Survival Advantage From Higher-Dose Radiation Therapy for Clinically Localized Prostate Cancer Treated on the Radiation Therapy Oncology Group Trials, Journal of Clinical Oncology, Vol. 18, no. 14, pp. 2740-2746
- (49). [Zeleftsky](#), M.J, [Chana](#), H, [Huntb](#), M, [Yamadadaa](#), Y, [Shippyab](#) M. A, [Amols](#), H October 2006, Long-Term Outcome of High Dose Intensity Modulated Radiation Therapy for Patients with Clinically Localized Prostate Cancer, [Vol.176, no. 4](#), pp. 1415-1419 and [Vol. 166,\(2001\), no. 3](#), pp. 876-881
- (50). Zeleftsky, M.J, Fuks, Z, Happersett, L, [Lee](#), H.J, [LOombardi](#), D ,[Ling](#), C.C , [Reuter](#), V.E [Venkatraman](#), E.S 2000, Clinical experience with intensity modulated radiation therapy (IMRT) in prostate cancer, Radiotherapy Oncology,Vol.55, pp. 241-249

(51). [Zelefsky](#), M.J, [Fuks](#), Z, [Hunt](#), M , [Yamada](#), Y, [Marion](#), C, [Ling](#), C.C, [Amols](#),H , [Leibel](#), A.S 1 August 2002, High-dose intensity modulated radiation therapy for prostate cancer: early toxicity and biochemical outcome in 772 patients, [Vol. 53, no 5](#), pp. 1111-1116

(52). Zelefsky, M .J, Kent, E, Wallner, C, Ling, C, Raben, A, Hollister, T, Wolfe, T, Grann, A, Gaudin, P, Fuks, Z, Steven A. Leibel February 1999, Comparison of the 5-Year Outcome and Morbidity of Three-Dimensional Conformal Radiotherapy Versus Transperineal Permanent Iodine-125 Implantation for Early-Stage Prostatic Cancer , Journal of Clinical Oncology, Vol. 17, no. 2, pp. 517

(53). (<http://prostatecancerinfolink.net/2009/01/17/advances-in-external-beam-radiotherapy-for-treatment-of-localized-prostate-cancer/>).

(54). (<http://www.prostatecancertreatment.co.uk/treatment-options/>).

---